

POLICE

HEADQUARTERS

J&K

JAMMU.

NIT NO . 15 OF 2011

DATED: 08 - 04 -2011

- | | |
|----|--|
| 1. | For and on behalf of the Governor J&K State, sealed tenders are invited from original manufacturers and approved authorized dealers affixing revenue stamp worth Rs 5/- duly sealed with sealing wax and stamp of the tenderer, for the supply of TRAFFIC EQUIPMENTS as specified in Annexure ' A ' of this NIT. Approved/authorized dealers will attach valid & authenticated copy of authorisation of original manufacturer, without which tender shall be rejected. |
| 2. | The tenders shall be properly sealed and addressed to IGP (Headquarters) C/O Director General of Police J&K Srinagar/Jammu. The tender envelopes shall be superscribed " TENDER FOR TRAFFIC EQUIPMENTS FOR NIT NO.15 of 2011 dated. 08. 04.2011. " |
| 3. | The tender fee has been fixed at Rs 1000/- which shall accompany the tender offer only, in the shape of a <u>crossed demand draft</u> favouring Chief Accounts Officer PHQ, J&K payable at Srinagar/Jammu. The tender fee is not refundable and the same will be deposited into Govt. Treasury under Head 0055-Police for the year 2011-12.
The local SSI units are required to pay the tender fee prescribed as per J&K Govt rules. However, the Govt/Semi-Govt. concerns of the J&K State claiming exemption shall append authenticated orders, certificates etc. issued by competent authority in support of their claim.
Tenders without tender fee shall be rejected. |
| 4. | Earnest Money Deposit (EMD)
The intending tenderer/s will have to send the Earnest Money only in shape of CDR/FDR from any nationalized bank equivalent to 2% of the value of contract pledged to AIG (Prov/Tpt) PHQ J&K with the tender offer, which shall be valid for one year. The earnest money in the case of unsuccessful tenderer shall be released after finalization of Tender, where-as in the case of successful tenderers it will be adjusted towards the security money (required to be deposited) on application, for due performance of the agreed contract/performance during the warranty period; No interest shall be payable by purchaser on the EMD deposited by the tenderer).
J&K Govt. rules with regard to furnishing of EMD in respect of local Registered SSI units shall be applicable in letter and spirit. The local SSI units are required to pay the EMD prescribed as per J&K Govt rules which at present is 50% of the value of contract or Rs 5000/- whichever is less. For the purpose, SSI units shall have to furnish registration certificate and Functional Certificate of SSI Unit, issued by the competent authority with their tender offer failing which the benefits of SSI units will not be allowed.
The Government/ Semi Govt. or similar other concerns, claiming exemption from the payment of EMD shall have to append duly authenticated orders, certificate etc. from competent authority supporting their claims.
Tenders without EMD shall be rejected |
| 5. | Security Deposit. The approved tenderers will have to supply the articles at the approved rate and as per approved sample (if any) and specification till the date of validity of the approved list. They will have to furnish security |

	<p>deposit @ 5% of the total value of the items contracted for, in the shape of CDR/FDR from a nationalized Bank, at the time of signing of Deed of Agreement to ensure satisfactory performance of the equipment supplied, for Warranty period from the date of acceptance of product. This security deposit will be released in due course after the expiry of specified warranty period/agreed contract. The charges on stamps etc. (cost of documents in totality) shall be borne by the supplier while executing the agreement. (No interest shall be paid by the purchaser on the Security deposit). J&K Govt Rules for EMD in respect of LOCAL SSI Units shall be applicable.</p>												
6.	Despatch Instructions; Stores are required to be delivered at Consignee's location (Srinagar/Jammu), at freight, risk and cost of the supplier.												
7.	Store required at; Free delivery at Consignee location.												
8.	Delivery required; Within three months from the date of confirmed order..												
9.	The successful tenderer will have to arrange onsite installation and training to end users free of cost as and when asked for.												
10.	<p>Comprehensive Guarantee/Onsite Warranty period; The tenderers shall provide warranty for a minimum period of 03(three) years covering all the systems, sub systems .The cost of 1 (one) year warranty period will be included in the quoted price and cost of extended warranty for 02 (two) years will be quoted separately. The contractor hereby guarantees that the said goods would continue to conform to the description and quality for a period of ----- years, from the date of acceptance of the said goods by the department. If during the aforesaid period, the said stores be discovered not conform to the description and quality or not giving satisfactory performance or have deteriorated, the decision of the purchaser in that behalf shall be final and binding on the contractor and purchaser shall be entitled to call upon the contractor to rectify the goods or such portion thereof as is found to be defective by the purchaser within a reasonable period or such specified period as may be allowed by the purchaser in his discretion on/an application made thereof by the contractor and in such an event, the above mentioned warranty period shall apply to the goods rectified from the date of rectification thereof. In case of failure of the contractor to rectify or replace the goods etc within specified time, the purchaser shall be entitled to recover the cost with all expenses from the contractor for such defective stores. The tenderer shall also submit AMC charges (both comprehensive & Non Comprehensive) per year basis for the next 7 (seven) years. The tenderer shall keep stock of spares for the entire system for a minimum period of 10 (ten) years available.</p>												
11.	<p><u>TWO BID SYSTEM;</u> All bidders are required to submit their offers in two covers as under;- (A) <u>FIRST COVER</u> (<u>Technical Bid</u>) should contain the following;-</p> <table border="1"> <tr> <td>i.</td> <td>Tender documents duly completed and signed BUT WITHOUT INDICATING THE RATES QUOTED.</td> </tr> <tr> <td>ii.</td> <td>Earnest money.</td> </tr> <tr> <td>iii.</td> <td>Tender Fee</td> </tr> <tr> <td>iv.</td> <td>Technical specifications of the item quoted alongwith original catalogues (Make & Model).</td> </tr> <tr> <td>v.</td> <td>Delivery terms, delivery period quoted.</td> </tr> <tr> <td>vi.</td> <td>Lab test report, if any. Should not be older than the date of issue of this tender notice.</td> </tr> </table>	i.	Tender documents duly completed and signed BUT WITHOUT INDICATING THE RATES QUOTED.	ii.	Earnest money.	iii.	Tender Fee	iv.	Technical specifications of the item quoted alongwith original catalogues (Make & Model).	v.	Delivery terms, delivery period quoted.	vi.	Lab test report, if any. Should not be older than the date of issue of this tender notice.
i.	Tender documents duly completed and signed BUT WITHOUT INDICATING THE RATES QUOTED.												
ii.	Earnest money.												
iii.	Tender Fee												
iv.	Technical specifications of the item quoted alongwith original catalogues (Make & Model).												
v.	Delivery terms, delivery period quoted.												
vi.	Lab test report, if any. Should not be older than the date of issue of this tender notice.												

vii.	List of the orders received and executed during last two years giving reference of the order, value of order, Name of the agency/department alongwith performance certificate.
viii.	Registration certificate/Industrial Licence of original manufacturer, for the material quoted.
ix.	Certificate of being authorized dealer having authorization of the original manufacturer to quote against the tender.
x.	Authorised Dealer having authorisation to quote against this tender, shall furnish his Registration Certification with Central/State Sales Tax department.
xi.	A copy of this NIT duly signed & stamped on every page by the tenderer, in token of having understood and accepted the specifications, terms & conditions of the NIT.
xii.	Any other relevant document which the firms wishes to submit

A) **SECOND COVER** (Commercial/Price Bid) should contain the following:-

i.	Details of rates, duties, taxes. These details should be submitted on their letter pad. (Note) J&K State entry tax rate currently is 13.5% extra. J&K Police does not issue Road Permits OR Concessional Forms, as such; Rate so quoted shall be F.O.R Consignee. State Entry Tax shall be reimbursable on production of original documents by the successful bidder and need not be quoted in the rate column. Rates
ii.	Rates must be clearly written in figures as well as in words, free from over writings, cuttings and alterations. Rates quoted should be on firm price basis.
iii.	Tenders shall be filled in clearly and with one ink. No cuttings/alterations/ over-writings shall be made in the tender. Correction, if any, be done clearly and properly initialed
iv.	Rates quoted shall be final till the validity of the contract i.e. upto 30:06.2012 with a provision of further extension if finally approved by State Level Purchase Committee for J&K Police Department.
v.	AMC charges.(Separately)

Both the above mentioned covers should be sealed separately, and superscribed with the Tender No., Stores and date of tender opening. This cover should thereafter, be kept in a third cover and again sealed. This cover should also be super scribed with the Tender No, Stores and date of opening.

12. The tenders may be sent by post well in time or delivered personally, at J&K Police Headquarters Gulshan Ground, Gandhi Nagar Jammu-180004 upto 30.04.2011 and thereafter at J&K Police Headquarters, Pirbagh, near ITI, Airport Road Srinagar-190021 (Tel; 0194-2443031) upto 14.05.2011. The deptt. Shall not be liable for any postal delays. No Tender will be accepted after the due date and time.
13. No conditional tender will be accepted/ entertained. It will be summarily rejected. No other condition than those mentioned (in the terms set-forth) will be entertained;
14. On due date of opening of **tenders' i.e.18.05.2011 (at 1100 hours) at Police Hqrs J&K Pirbagh, near ITI, Airport Road Srinagar** only technical bid of the tender shall be opened. Only authorized representative will be allowed to attend the meeting for opening tenderers. He/She should also bring authority letter on company/firms letter head that any

	<p>decision/negotiation taken by him/her would be accepted by company/firm. In case of unforeseen circumstances the date of opening will be next working day. The Financial bid shall be opened only in case of such tenderers, who on scrutiny of Technical Bid are found to have qualified for opening of the same. The financial bid will be opened on any other day at the discretion of State Level Purchase Committee.</p>
15.	<p>The short listed tenderers will have to arrange for the Technical or field / Practical demonstration of the Equipments, if any required, at their own cost at the place and date to be fixed by the Authority. The bids of the firms / bidders who do not arrange / participate in the demonstration as above will be treated as rejected.</p>
16.	<p>The approved supplier shall be deemed to have fully understood the conditions, specifications, size, patterns, make etc. of the article/s etc. to be supplied and in case of any doubt may seek clarification;</p>
17.	<p>The supplies delivered by the successful tenderers shall be surveyed and verified at our Stores i.e. Police Central Stores Jammu/Srinagar by the Survey Committees constituted for the purpose.</p>
18.	<p>The successful tenderer shall have to enter into an agreement/deed on prescribed proforma (immediately after the issue of supply order) with the Department for due performance of the contract which shall be invariably furnished before the supply is made.</p>
19.	<p>The successful tenderers shall arrange supplies within the period mentioned in the supply orders. The period of delivery and validity may be extended, at absolute discretion of this Hqrs provided the delay is justifiable.</p>
20.	<p>After the rate is approved, the successful tenderer shall give in writing that if it is found subsequently that he has supplied the same product at the rates lower than offered to PHQ, the same rates will apply to J&K Police and the excess amount if any, paid to the firm shall be recovered from it in any manner.</p>
21.	<p>The tenderer is required to furnish an authenticated copy of latest Sales Tax/ VAT/ clearance certificates and PAN and VAT registration certificate(alongwith the tender offer or at the time of payments). The PHQ shall be at liberty to put to scrutiny, verification etc. the Sales tax clearance so furnished by the successful tenderer</p>
22.	<p>Payment shall be released by the department against each consignment delivered in entirety, inspected, accepted and properly brought on stock in the concerned stock registers of the Department.</p>
23.	<p>Remittance charges (Bank Commission) on payment made to the firms will be borne by the suppliers. The charges of stamp etc. shall be paid by the supplier while executing the agreement;</p>
24.	<p>As soon as the acceptance of the tender is communicated to the successful tenderers, the contract shall be binding on him. The EMD of the tenderer who backs out or withdraws his tender or fails to abide by it, after acceptance thereof, is communicated/posted to him shall be forfeited besides other penal remedies that may be available to the Govt. of the J&K under the law for the time being in force in the State of J&K;</p>
	<p>(a) If, after the registration/placement of orders/execution of the agreement and formally depositing the security money, the tenderer backs out or fails to supply the goods, the security deposit will be forfeited besides any other penal measures, the department may take as per norms in vogue;</p>
	<p>b) The formal deed incorporating the terms of the contract will be executed</p>

	<p>by the successful tenderer immediately after receipt of supply order. Failure to execute such bond/deed shall not however prevent the contract from being enforced against the tenderer. Any loss sustained by the Govt. as a result of re-tendering the contract, shall be recovered from the defaulter, besides other penal measures as the department may think proper;</p>
	<p>c) Goods shall be delivered (as per instructions in supply order) either at Police Central store, Gulshan Ground, Gandhi Nagar, Jammu or Police Central Store, Zewan, Srinagar duly packed in perfect condition. The supplier if he so desires may insure the goods against loss or theft, destruction, damages by the natural calamity loss by exposure to weather or other wise viz. war rebellion, riot etc. The insurance charges will have to be borne by the supplier and the department shall not pay such charges;</p>
	<p>d) If, the successful tenderer fails to supply the goods of the prescribed specification or fails to deliver the goods within the stipulated period as specifically mentioned in the supply order, the department shall be at liberty to arrange supplies by other possible means, at his risk and cost. The department may give prior notice to the approved supplier in writing to make supplies good. In case of failure to supply the consignment on specified qualitative & quantitative terms, the department shall be lawfully entitled to forfeit the amount of the security money and take penal action to make good the loss sustained or excess cost incurred by the state in arranging of the supplies and other remedies that may be available to the department, under the law for the time being in force in the state.</p>
25.	<p>The supplier shall not sublet the contract or any part thereof to any other agency.</p>
26.	<p>The decision of the accepting authority shall be final as to the quality of stores and shall be binding on the supplier. In case the articles supplied are not according to the approved specifications they shall be rejected. The replacement of the rejected shall be allowed at the sole discretion of the department. The loss caused due to rejection of the supplies shall be entirely borne by the supplier. The rejected equipment shall be lifted by the supplier within one week from the date of rejection. The department shall in no case be responsible for any loss or damage that may occur to the rejected stores while these are in the premises of the consignment.</p>
27.	<p>The quantities indicated in the Tender Notification are tentative and this Headquarters reserves absolute rights to change the same without any prior notification upto the validity of rate contract of this NIT.</p>
28.	<p>The authorities reserve absolute discretion to reject or accept any tender or a part thereof without assigning any reason and without any legal obligations. Any clause incorporated in the tender (not conforming to the NIT in any manner) shall make such an offer liable for rejection. Therefore, all the terms and conditions of the Tender Notice including technical specification shall be carefully studied for the sake of complete and comprehensive tender. Failure to comply with any of the tender conditions or instructions or the offer with insufficient particulars/documents, which is likely to render fair comparison of tender as a whole impossible shall lead to rejection even if otherwise, it is a competitive offer/tender.</p>
29.	<p>The Department reserves the right to add or suitably modify the terms and conditions (without prior notification) as per exigencies that may arise for</p>

	one or the other reason.
30.	All legal proceedings arising out of any dispute between the parties shall have to be settled in the Courts situated in Jammu and Srinagar and not elsewhere;
31.	Copies of terms and conditions can be had on any working day (during office hours) from AIG (Prov/Tpt) Police Headquarters J&K Pirbagh Srinagar or office of DIG of Police Jammu-Kathua Range, Jammu or SP J&K CID Cell II Harish Chander Mathur Lane Kasturba Ghandhi Marg New Delhi 110001.

No. Prov-I/ ue-1/2011/NIT-15/ 18652-68

Dated: 08 /04/2011.

ANNEXURE "A" to NIT No; 15 of 2011 dated; 08.05.2011

S.No	Description
2	<p>Speed Radar Guns <u>Tentative Quantity = 05 nos</u></p> <p><u>Technical specifications</u> Radar Gun with Camera with accessories like Monochrome Printer- Stand- Foldable Telescopic Tripod and fittings etc. Description /Parameter Type; Hand held vehicle speed detection Equipment. <u>Speed Measurement</u> R range ; 20 to 185 kmph Accuracy ; ½ Kmph Operating range ; 15 to 500 mtrs Display ; LED/LCD display for display of speed. Temperature ; -30 to 60 degree Celsius. Power supply ; Rechargeable batteries with charger for 6 hours and also to support 100 Monochrome prints.</p> <p>Camera & Printer Colour camera; Minimum 10 X zoom and with minimum 400 TV lines. Housing ; Built in or housed separately so that it can be attached to speed gun when required Memory ; Continuous color video recording (at least 400 TV lines) with date and time for at least 50 hours. Monochrome printer; To take print out at the place of use with speed, date and time printed on the photo without interfering with the number plate area. Stand ; Foldable Telescopic Tripod of at least 1.2 m height. Accessories; Carry case and necessary cabling.25 paper rolls are to be supplied along with the equipment. Cost and life of consumables are to be indicated. Warranty ; As per clause (10) of NIT N.B The specifications laid down above are the minimum configuration of the system/item. System/item of better /higher configuration or better technology may be quoted for consideration.</p>
3	<p>Breath Analyzer, Should be Microprocessor based (but not be semi conductor based) <u>Tentative Qty = 30 nos</u></p> <p>Original Catalogue of the product shall be enclosed with the tender offer</p> <p>Mandatory Undertakings to be given in technical bid by all vendors Repairs, if any in warranty period to be carried out strictly within 48 hours and a service unit to be provided compulsorily during that period. If no service unit is provided then penalty of Rs. 500/- per unit per day will be borne by the vendor to the deptt till the day actual unit is brought back to working condition for which an undertaking is to be provided in the technical bid. Without which the vendor's model will not be considered for demo.</p> <p>Jammu/Srinagar service centre; Address should be given and same will be inspected by our officers if desired after actual demo.</p> <p>MOU ; Participating vendors have to enclose direct MOU from the Principal Manufacturer only and same if desired will be verified by the dept.</p> <p>An undertaking from the original manufacturer stating that the availability of spares will be there for (10) years for the model quoted. Vendor quoting should have a minimum order of 20 Nos. of Breath Alcohol Analyzers with printer (model quoted should be same) from any Indian State Police Force. A copy of the same to be enclosed. Preference would be given to ISO 9001; 2000 certified company.</p> <p>Warranty; As per clause (10) NIT. N.B The specifications higher configuration or better technology may be quoted for consideration.</p>

Highway Interceptors cum Rescue Vans fitted with Rescue/Relief Equipments fitted with modern traffic gadgets.

Tentative Quantity = 3 nos

Specification

A. Configuration

- i) Laser based range and speed monitoring system with an attached camera system.
- ii) Recording of violators speed, distance, date, time allowable speed limit and location with 128 bit Data encryption.
- iii) Review of violation images including time.
- iv) Special camera mounting and adopter.
- v) On board power supply.
- vi) Breath Analyzer.
- vii) GSM communication and controls from on board laptop.
- viii) Vehicle Customization and Livery.
- ix) Roof Light Bar
- x) P.A System.
- xi) Other accessories and Utilities like Power, Storage Rack etc.
- xii) To be based on Innova vehicle **(or equivalent)** petrol version, with power steering and A/C.

B. (I) LASER BASED CAMERA SYSTEM;

- 1) (i) Distance Measuring Range; Essential 10 meters to 1500 meters.
(ii) Distance Image Capturing Range; Typical 50-300 Meters.
- 2) Modular Construction for ease of service and repair-ability.
- 3) Desirable precision revolving bearing mount and mechanism (Tripod), ensuring very smooth and precise planning operations.
- 4) Essential Automatic / Manual Measurement modes.
- 5) Essential absolute documentary evidence. Camera should be still picture type with at least 5 mega pixels resolution. It should also be possible to take short video for traffic scene analysis.
- 6) The system should be compact and with latest laser technology.
- 7) Measuring time: less than 0.3 Seconds.
- 8) Laser beam divergence Essential: 0.2 meter or less at 100 Meters.
- 9) Speed Range: 0 to 300 Kms/hr.
- 10) Distance Accuracy: +/-20 cms
- 11) Speed Accuracy: ± 2 Km/hr to 100 Km speed ± 3 above 100 Km speed.
- 12) Camera Data:-
 - i) Essential Measured Speed, data, time (hour, minute, seconds) measured distance, permitted speed limit, actual speed of vehicle, image of license plate of vehicle. These data should be encrypted and tamper proof.
 - a) Frame free Camera.
 - b) Night mode upto 120 mtr.
 - c) Instant replay of recorded offences.
 - d) Car and mains Charger.
 - e) Compact Integrated System.
 - ii) Pointer of LASER beam at the measuring distance to be displayed.
 - iii) In built memory capacity to record 3000 speed measurements to Down Load via card reader or USB port to another on board laptop computer.
 - iv) Essential color printer networked through on board computer, at site.
 - v) Essentially computer to have writable CD to download data from vehicle computer.
- 14) License Plate Recognition vial image; Essential 70 to 250 meters.
- 15) Optical zoom; 150mm zoom lines.

- 16) Minimum Illuminating for Imaging;
 - i) Should not deter the driver.
 - ii) Flash shall be integrated part of camera.
 - iii) Flash unit shall not require separate power unit.
- 17) Viewing Dimension: 5.5" X 7.5" minimum with Computer or Laptop Screen.
- 18) Laser Reflection Indicator; Acoustic/Visual.
- 19) Poor Weather Measurement Mode; Essential workable in dusk/Night time conditions with IR Flash on. The Camera Image quality should be at least 5 Mega pixels and above.
- 20) Battery Operation Time; Minimum of 4000 speed measurements.
- 21) Stored data shall be tamperproof with 128 bit encryption.
- 22) At least 4000 violations shall be stored internally.
- 23) Dimensions: Compact and weight of Camera including laser-measuring device shall not weight more than 4 kg.
- 24) Operating temperature; 20 degrees to 60 degrees.
- 25) Measuring device shall meet requirements of laser class 1 according on EN 60825-1:1997-03.
- 26) Laser divergence shall not exceed 2 mrad.
- 27) Essential Remote Printing station to print the offence printout at least one kilometer away from the enforcement site to catch Offenders.

II. IR FLASH TO RECORD EVIDENCE IN NIGHT TIME (Standard)

1. Type; Low light flash for unobtrusive illumination, max 10 watt.
2. Illumination Range; from up to 80 meters.
3. Power; No necessity for additional supply.
4. Temperature; 0 degree C to 60 degree C.
5. Weight less than 2 kg should be integrated part of Camera.

C. Computer with Printer

1. Essential- Laptop computer-Pentium IV, 3.0 GHz, 80 GB HDD,512 MB RAM, Simultaneous FDD and CDRW/DVD Drive, 2 USB Ports, TFT Screen and Wi-Fi and Integrated Wireless LAN. The Software for interfacing the video camera and LASER range finder should be available separately.
2. Desirable- Wireless communication card to transfer data through wireless to base station.
 3. A-4 size color Inkjet Heavy Duty Printer.

D. Breath Alcohol Analyser/Alco meter.

1. Breath Analyzer should be based on Electro Chemical Fuel Cell Technology. It should be based on mainstream technology and not on side stream technology wherein the whole breath sample is sent to the sensor.
2. Accuracy is + or - 5 mg/100 ml.
3. Working temp is between -10 to + 50 degrees Ambient Temperature.
4. Breath Analyzer should take automatic or manual breath sample. Duration of sample taking should be between 3 to 6 seconds.
5. Breath Analyzer should have a memory of minimum 10000 measured values with date and time on FIFO basis. It should be possible to statistically evaluate the data for MIS reporting.
6. Test should be done with disposable one sided and hygienic (with non return valve) and straw as well to save costs.
7. Breath Analyzer should be able to run on a dot matrix printer requiring minimal maintenance with built in battery capable of at least 100 printouts with a single charge .It should also be possible to connect the printer to a 12V car battery for continuous usage. The printer should use inexpensive paper (not thermal paper) available in

the local market.

8. It should be possible to detect mouth alcohol in non-cooperative suspects instantly using Passive test, to randomly screen suspects before subjecting them to breath alcohol testing.
9. Breath Analyzer should be hand held and it is to be run on inexpensive AA type batteries which last for at least 100 tests.
10. Breath Analyzer should not be affected by Acetone, Paint etc.
11. Breath Analyzer should be able to detect alcohol up to 500 mg/100 ml.
12. The response time is 5 to 45 seconds for a negative or positive test respectively at 0 or 500 mg /100 ml.
13. Breath Analyzer should be handy or portable, user friendly and easy to operate.
14. The manufacturer should have ISO 13485, EN ISO 9001:1994 and CE certificate.

E. ACCESSORIES INCLUDED IN THE SPECIFICATION.

1. Color Camera with Motorized zoom lens. Pan and Tilt base Unit with in Vehicle 17" TFT Monitor & DVR with at least 80 GB HDD.
2. Printer.
3. P.A System, Siren, Light Bars & Strobe Lights.
4. UPS with battery backup.
5. Air conditioned vehicle;
6. Vehicle Customization charges with Interior, Instrument Console, Lighting and Sitting Arrangements.
7. Tripod & Pole.
8. **Warranty;** As per clause (10) NIT

F. Vehicle Selection.

Toyota Innova vehicle or equivalent, preferably petrol version, with power steering and A/C, with sides, front, rear fenders.

N.B. The specifications laid down above are the minimum configuration of the system/item. System/item of better /higher configuration or better technology may be quoted for consideration.